


# dati tecnici hegoline23 verticale singolo



## Sistemi di fissaggio a parete

Wall fastening systems  
Systèmes d'installation murale  
Sistemas de fijación a la pared



## Dimensioni corpo scaldante

Radiator body dimensions  
Dimensions du corps chauffant  
Dimensiones del cuerpo calefactor



Misure in mm: A=altezza B=larghezza C=interasse  
Measures in mm: A=height B=width C=interaxis  
Mesures en mm: A=hauteur B=largeur C=entraxe  
Medidas en mm: A=altura B=ancho C=entre eje

## note tecniche

Temperatura max di esercizio: 90 °C  
Maximum operating temperature: 90 °C  
Température maximum de fonctionnement: 90 °C  
Temperatura máx de funcionamiento: 90 °C

Pressione max di esercizio: 500 kPa  
Maximum operating pressure: 500 kPa  
Pression maximum de fonctionnement: 500 kPa  
Presión máx de funcionamiento: 500 kPa




Possibilità di particolari disposizioni e numero di elementi  
Different number of elements available  
Possibilité de différentes quantités de éléments  
Posibilidad de diferentes numeros de elementos

Possibilità di altezze speciali a richiesta nelle misure: 755/905/1105/1305/1405/1605/1705/1905  
Special heights available upon request: 755/905/1105/1305/1405/1605/1705/1905  
Hauteurs spéciales disponibles à la demande: 755/905/1105/1305/1405/1605/1705/1905  
Alturas especiales disponibles a la pregunta: 755/905/1105/1305/1405/1605/1705/1905

Per impianto monotubo consultare note tecniche di dettaglio Pag.163  
For single pipe installation, please consult technical notes Page165  
Pour installation monotube consulter les renseignements techniques détaillés Pag.167  
Para instalaciones monotubo consulte las informaciones técnicas detalladas Pag.169


| Ref.                                          |              | A   | B    | C   | Elem. | White & Colors                |                               | Chrome                        |                               | Peso | Cap. |
|-----------------------------------------------|--------------|-----|------|-----|-------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|------|------|
|                                               |              |     |      |     |       | $\Delta t=50^{\circ}\text{C}$ | $\Delta t=30^{\circ}\text{C}$ | $\Delta t=50^{\circ}\text{C}$ | $\Delta t=30^{\circ}\text{C}$ |      |      |
|                                               |              | mm  | mm   | mm  | n.    | W                             | W                             | W                             | W                             | kg   | Lt   |
| 400<br>altezza<br>height<br>hauteur<br>altura | HH231V040014 | 405 | 518  | 370 | 14    | 261                           | 141                           | 175                           | 95                            | 6,7  | 2,4  |
|                                               | HH231V040015 | 405 | 555  | 370 | 15    | 280                           | 152                           | 187                           | 102                           | 7,2  | 2,5  |
|                                               | HH231V040016 | 405 | 592  | 370 | 16    | 298                           | 162                           | 200                           | 108                           | 7,6  | 2,7  |
|                                               | HH231V040018 | 405 | 666  | 370 | 18    | 336                           | 182                           | 225                           | 122                           | 8,6  | 3,0  |
|                                               | HH231V040020 | 405 | 740  | 370 | 20    | 373                           | 202                           | 250                           | 135                           | 9,5  | 3,4  |
|                                               | HH231V040022 | 405 | 814  | 370 | 22    | 410                           | 222                           | 275                           | 149                           | 10,5 | 3,7  |
|                                               | HH231V040024 | 405 | 888  | 370 | 24    | 448                           | 243                           | 300                           | 163                           | 11,4 | 4,0  |
|                                               | HH231V040028 | 405 | 1036 | 370 | 28    | 522                           | 283                           | 350                           | 190                           | 13,3 | 4,7  |
|                                               | HH231V040032 | 405 | 1184 | 370 | 32    | 597                           | 323                           | 400                           | 217                           | 15,3 | 5,4  |
|                                               | HH231V040038 | 405 | 1406 | 370 | 38    | 709                           | 384                           | 475                           | 257                           | 18,1 | 6,4  |
|                                               | HH231V040044 | 405 | 1628 | 370 | 44    | 821                           | 445                           | 550                           | 298                           | 21,0 | 7,4  |
|                                               | HH231V040050 | 405 | 1850 | 370 | 50    | 933                           | 505                           | 625                           | 339                           | 23,8 | 8,4  |



# dati tecnici

## hegoline23 verticale singolo

|                                                       | Ref.         |      |      |     |       | White & Colors                |                               | Chrome                        |                               |      |      |
|-------------------------------------------------------|--------------|------|------|-----|-------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|------|------|
|                                                       |              | A    | B    | C   | Elem. | $\Delta t=50^{\circ}\text{C}$ | $\Delta t=30^{\circ}\text{C}$ | $\Delta t=50^{\circ}\text{C}$ | $\Delta t=30^{\circ}\text{C}$ | Peso | Cap. |
|                                                       |              | mm   | mm   | mm  | n.    | W                             | W                             | W                             | W                             | kg   | Lt   |
| <b>500</b><br>altezza<br>height<br>hauteur<br>altura  | HH231V050012 | 505  | 444  | 470 | 12    | 269                           | 146                           | 180                           | 98                            | 7,6  | 2,4  |
|                                                       | HH231V050013 | 505  | 481  | 470 | 13    | 291                           | 158                           | 195                           | 106                           | 8,2  | 2,6  |
|                                                       | HH231V050014 | 505  | 518  | 470 | 14    | 314                           | 170                           | 210                           | 114                           | 8,9  | 2,8  |
|                                                       | HH231V050015 | 505  | 555  | 470 | 15    | 336                           | 182                           | 225                           | 122                           | 9,5  | 3,0  |
|                                                       | HH231V050016 | 505  | 592  | 470 | 16    | 359                           | 194                           | 240                           | 130                           | 10,1 | 3,2  |
|                                                       | HH231V050018 | 505  | 666  | 470 | 18    | 403                           | 219                           | 270                           | 146                           | 11,4 | 3,6  |
|                                                       | HH231V050020 | 505  | 740  | 470 | 20    | 448                           | 243                           | 300                           | 163                           | 12,7 | 4,0  |
|                                                       | HH231V050022 | 505  | 814  | 470 | 22    | 493                           | 267                           | 330                           | 179                           | 13,9 | 4,4  |
|                                                       | HH231V050024 | 505  | 888  | 470 | 24    | 538                           | 291                           | 360                           | 195                           | 15,2 | 4,8  |
|                                                       | HH231V050028 | 505  | 1036 | 470 | 28    | 628                           | 340                           | 420                           | 228                           | 17,7 | 5,6  |
|                                                       | HH231V050032 | 505  | 1184 | 470 | 32    | 717                           | 389                           | 481                           | 260                           | 20,3 | 6,4  |
|                                                       | HH231V050038 | 505  | 1406 | 470 | 38    | 852                           | 461                           | 571                           | 309                           | 24,1 | 7,6  |
|                                                       | HH231V050044 | 505  | 1628 | 470 | 44    | 986                           | 534                           | 661                           | 358                           | 27,9 | 8,8  |
|                                                       | HH231V050050 | 505  | 1850 | 470 | 50    | 1121                          | 607                           | 751                           | 407                           | 31,7 | 10,0 |
| <b>600</b><br>altezza<br>height<br>hauteur<br>altura  | HH231V060010 | 605  | 370  | 570 | 10    | 262                           | 142                           | 175                           | 95                            | 7,4  | 2,3  |
|                                                       | HH231V060012 | 605  | 444  | 570 | 12    | 314                           | 170                           | 210                           | 114                           | 8,9  | 2,8  |
|                                                       | HH231V060013 | 605  | 481  | 570 | 13    | 340                           | 184                           | 228                           | 123                           | 9,6  | 3,0  |
|                                                       | HH231V060014 | 605  | 518  | 570 | 14    | 366                           | 198                           | 245                           | 133                           | 10,4 | 3,2  |
|                                                       | HH231V060015 | 605  | 555  | 570 | 15    | 393                           | 213                           | 263                           | 142                           | 11,1 | 3,5  |
|                                                       | HH231V060016 | 605  | 592  | 570 | 16    | 419                           | 227                           | 281                           | 152                           | 11,8 | 3,7  |
|                                                       | HH231V060018 | 605  | 666  | 570 | 18    | 471                           | 255                           | 316                           | 171                           | 13,3 | 4,2  |
|                                                       | HH231V060020 | 605  | 740  | 570 | 20    | 523                           | 284                           | 351                           | 190                           | 14,8 | 4,6  |
|                                                       | HH231V060022 | 605  | 814  | 570 | 22    | 576                           | 312                           | 386                           | 209                           | 16,3 | 5,1  |
|                                                       | HH231V060024 | 605  | 888  | 570 | 24    | 628                           | 340                           | 421                           | 228                           | 17,8 | 5,5  |
|                                                       | HH231V060028 | 605  | 1036 | 570 | 28    | 733                           | 397                           | 491                           | 266                           | 20,7 | 6,5  |
|                                                       | HH231V060032 | 605  | 1184 | 570 | 32    | 837                           | 454                           | 561                           | 304                           | 23,7 | 7,4  |
|                                                       | HH231V060038 | 605  | 1406 | 570 | 38    | 994                           | 539                           | 666                           | 361                           | 28,1 | 8,8  |
|                                                       | HH231V060044 | 605  | 1628 | 570 | 44    | 1152                          | 624                           | 772                           | 418                           | 32,5 | 10,2 |
|                                                       | HH231V060050 | 605  | 1850 | 570 | 50    | 1309                          | 709                           | 877                           | 475                           | 37,0 | 11,5 |
| <b>800</b><br>altezza<br>height<br>hauteur<br>altura  | HH231V080008 | 805  | 296  | 770 | 8     | 269                           | 146                           | 181                           | 98                            | 7,6  | 2,3  |
|                                                       | HH231V080010 | 805  | 370  | 770 | 10    | 337                           | 182                           | 226                           | 122                           | 9,5  | 2,9  |
|                                                       | HH231V080012 | 805  | 444  | 770 | 12    | 404                           | 219                           | 271                           | 147                           | 11,4 | 3,5  |
|                                                       | HH231V080013 | 805  | 481  | 770 | 13    | 438                           | 237                           | 293                           | 159                           | 12,4 | 3,8  |
|                                                       | HH231V080014 | 805  | 518  | 770 | 14    | 472                           | 255                           | 316                           | 171                           | 13,3 | 4,1  |
|                                                       | HH231V080015 | 805  | 555  | 770 | 15    | 505                           | 274                           | 339                           | 183                           | 14,3 | 4,4  |
|                                                       | HH231V080016 | 805  | 592  | 770 | 16    | 539                           | 292                           | 361                           | 196                           | 15,2 | 4,7  |
|                                                       | HH231V080018 | 805  | 666  | 770 | 18    | 606                           | 328                           | 406                           | 220                           | 17,1 | 5,3  |
|                                                       | HH231V080020 | 805  | 740  | 770 | 20    | 674                           | 365                           | 451                           | 245                           | 19,0 | 5,9  |
|                                                       | HH231V080022 | 805  | 814  | 770 | 22    | 741                           | 401                           | 497                           | 269                           | 20,9 | 6,5  |
|                                                       | HH231V080024 | 805  | 888  | 770 | 24    | 808                           | 438                           | 542                           | 293                           | 22,8 | 7,0  |
|                                                       | HH231V080028 | 805  | 1036 | 770 | 28    | 943                           | 511                           | 632                           | 342                           | 26,6 | 8,2  |
|                                                       | HH231V080032 | 805  | 1184 | 770 | 32    | 1078                          | 584                           | 722                           | 391                           | 30,5 | 9,4  |
|                                                       | HH231V080038 | 805  | 1406 | 770 | 38    | 1280                          | 693                           | 858                           | 465                           | 36,2 | 11,2 |
|                                                       | HH231V080044 | 805  | 1628 | 770 | 44    | 1482                          | 803                           | 993                           | 538                           | 41,9 | 12,9 |
|                                                       | HH231V080050 | 805  | 1850 | 770 | 50    | 1684                          | 912                           | 1128                          | 611                           | 47,6 | 14,7 |
| <b>1000</b><br>altezza<br>height<br>hauteur<br>altura | HH231V100006 | 1005 | 222  | 970 | 6     | 247                           | 134                           | 166                           | 90                            | 7,0  | 2,1  |
|                                                       | HH231V100008 | 1005 | 296  | 970 | 8     | 330                           | 179                           | 221                           | 120                           | 9,3  | 2,9  |
|                                                       | HH231V100010 | 1005 | 370  | 970 | 10    | 412                           | 223                           | 276                           | 150                           | 11,6 | 3,6  |
|                                                       | HH231V100012 | 1005 | 444  | 970 | 12    | 494                           | 268                           | 331                           | 179                           | 14,0 | 4,3  |
|                                                       | HH231V100013 | 1005 | 481  | 970 | 13    | 536                           | 290                           | 359                           | 194                           | 15,1 | 4,6  |
|                                                       | HH231V100014 | 1005 | 518  | 970 | 14    | 577                           | 312                           | 386                           | 209                           | 16,3 | 5,0  |
|                                                       | HH231V100015 | 1005 | 555  | 970 | 15    | 618                           | 335                           | 414                           | 224                           | 17,5 | 5,3  |
|                                                       | HH231V100016 | 1005 | 592  | 970 | 16    | 659                           | 357                           | 442                           | 239                           | 18,6 | 5,7  |
|                                                       | HH231V100018 | 1005 | 666  | 970 | 18    | 742                           | 402                           | 497                           | 269                           | 20,9 | 6,4  |
|                                                       | HH231V100020 | 1005 | 740  | 970 | 20    | 824                           | 446                           | 552                           | 299                           | 23,3 | 7,1  |
|                                                       | HH231V100022 | 1005 | 814  | 970 | 22    | 906                           | 491                           | 607                           | 329                           | 25,6 | 7,8  |
|                                                       | HH231V100024 | 1005 | 888  | 970 | 24    | 989                           | 536                           | 662                           | 359                           | 27,9 | 8,6  |
|                                                       | HH231V100028 | 1005 | 1036 | 970 | 28    | 1154                          | 625                           | -                             | -                             | 32,6 | 10,0 |
|                                                       | HH231V100032 | 1005 | 1184 | 970 | 32    | 1318                          | 714                           | -                             | -                             | 37,2 | 11,4 |
|                                                       | HH231V100038 | 1005 | 1406 | 970 | 38    | 1566                          | 848                           | -                             | -                             | 44,2 | 13,5 |
|                                                       | HH231V100044 | 1005 | 1628 | 970 | 44    | 1813                          | 982                           | -                             | -                             | 51,2 | 15,7 |



# dati tecnici

# hegoline23 verticale singolo


|                                                       | Ref.         |      |      |      |       | White & Colors                |                               | Chrome                        |                               | Peso | Cap. |
|-------------------------------------------------------|--------------|------|------|------|-------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|------|------|
|                                                       |              | A    | B    | C    | Elem. | $\Delta t=50^{\circ}\text{C}$ | $\Delta t=30^{\circ}\text{C}$ | $\Delta t=50^{\circ}\text{C}$ | $\Delta t=30^{\circ}\text{C}$ |      |      |
|                                                       |              | mm   | mm   | mm   | n.    | W                             | W                             | W                             | W                             |      |      |
| <b>1200</b><br>altezza<br>height<br>hauteur<br>altura | HH231V120006 | 1205 | 222  | 1170 | 6     | 292                           | 158                           | 196                           | 106                           | 8,3  | 2,5  |
|                                                       | HH231V120008 | 1205 | 296  | 1170 | 8     | 390                           | 211                           | 261                           | 141                           | 11,0 | 3,4  |
|                                                       | HH231V120010 | 1205 | 370  | 1170 | 10    | 487                           | 264                           | 326                           | 177                           | 13,8 | 4,2  |
|                                                       | HH231V120012 | 1205 | 444  | 1170 | 12    | 585                           | 317                           | 392                           | 212                           | 16,5 | 5,0  |
|                                                       | HH231V120013 | 1205 | 481  | 1170 | 13    | 633                           | 343                           | 424                           | 230                           | 17,9 | 5,4  |
|                                                       | HH231V120014 | 1205 | 518  | 1170 | 14    | 682                           | 369                           | 457                           | 248                           | 19,3 | 5,9  |
|                                                       | HH231V120015 | 1205 | 555  | 1170 | 15    | 731                           | 396                           | 490                           | 265                           | 20,6 | 6,3  |
|                                                       | HH231V120016 | 1205 | 592  | 1170 | 16    | 779                           | 422                           | 522                           | 283                           | 22,0 | 6,7  |
|                                                       | HH231V120018 | 1205 | 666  | 1170 | 18    | 877                           | 475                           | 588                           | 318                           | 24,8 | 7,5  |
|                                                       | HH231V120020 | 1205 | 740  | 1170 | 20    | 974                           | 528                           | 653                           | 354                           | 27,5 | 8,4  |
|                                                       | HH231V120022 | 1205 | 814  | 1170 | 22    | 1072                          | 581                           | 718                           | 389                           | 30,3 | 9,2  |
|                                                       | HH231V120024 | 1205 | 888  | 1170 | 24    | 1169                          | 633                           | 783                           | 424                           | 33,0 | 10,1 |
|                                                       | HH231V120028 | 1205 | 1036 | 1170 | 28    | 1364                          | 739                           | -                             | -                             | 38,5 | 11,7 |
|                                                       | HH231V120032 | 1205 | 1184 | 1170 | 32    | 1559                          | 844                           | -                             | -                             | 44,0 | 13,4 |
|                                                       | HH231V120038 | 1205 | 1406 | 1170 | 38    | 1851                          | 1003                          | -                             | -                             | 52,3 | 15,9 |
|                                                       | HH231V120044 | 1205 | 1628 | 1170 | 44    | 2143                          | 1161                          | -                             | -                             | 60,5 | 18,4 |
| <b>1500</b><br>altezza<br>height<br>hauteur<br>altura | HH231V150004 | 1505 | 148  | 1470 | 4     | 240                           | 130                           | 161                           | 87                            | 6,8  | 2,1  |
|                                                       | HH231V150006 | 1505 | 222  | 1470 | 6     | 360                           | 195                           | 241                           | 131                           | 10,2 | 3,1  |
|                                                       | HH231V150008 | 1505 | 296  | 1470 | 8     | 480                           | 260                           | 322                           | 174                           | 13,5 | 4,1  |
|                                                       | HH231V150010 | 1505 | 370  | 1470 | 10    | 600                           | 325                           | 402                           | 218                           | 16,9 | 5,1  |
|                                                       | HH231V150012 | 1505 | 444  | 1470 | 12    | 720                           | 390                           | 482                           | 261                           | 20,3 | 6,2  |
|                                                       | HH231V150013 | 1505 | 481  | 1470 | 13    | 780                           | 422                           | 522                           | 283                           | 22,0 | 6,7  |
|                                                       | HH231V150014 | 1505 | 518  | 1470 | 14    | 840                           | 455                           | 563                           | 305                           | 23,7 | 7,2  |
|                                                       | HH231V150015 | 1505 | 555  | 1470 | 15    | 900                           | 487                           | 603                           | 327                           | 25,4 | 7,7  |
|                                                       | HH231V150016 | 1505 | 592  | 1470 | 16    | 960                           | 520                           | 643                           | 348                           | 27,1 | 8,2  |
|                                                       | HH231V150018 | 1505 | 666  | 1470 | 18    | 1080                          | 585                           | 723                           | 392                           | 30,5 | 9,2  |
|                                                       | HH231V150020 | 1505 | 740  | 1470 | 20    | 1200                          | 650                           | 804                           | 435                           | 33,9 | 10,3 |
|                                                       | HH231V150022 | 1505 | 814  | 1470 | 22    | 1320                          | 715                           | 884                           | 479                           | 37,3 | 11,3 |
|                                                       | HH231V150024 | 1505 | 888  | 1470 | 24    | 1440                          | 780                           | 965                           | 523                           | 40,6 | 12,3 |
|                                                       | HH231V150028 | 1505 | 1036 | 1470 | 28    | 1680                          | 910                           | -                             | -                             | 47,4 | 14,4 |
|                                                       | HH231V150032 | 1505 | 1184 | 1470 | 32    | 1920                          | 1040                          | -                             | -                             | 54,2 | 16,4 |
|                                                       | HH231V150038 | 1505 | 1406 | 1470 | 38    | 2279                          | 1235                          | -                             | -                             | 64,4 | 19,5 |
|                                                       | HH231V150044 | 1505 | 1628 | 1470 | 44    | 2639                          | 1430                          | -                             | -                             | 74,5 | 22,6 |
| <b>1800</b><br>altezza<br>height<br>hauteur<br>altura | HH231V180004 | 1805 | 148  | 1770 | 4     | 285                           | 154                           | 191                           | 103                           | 8,0  | 2,4  |
|                                                       | HH231V180006 | 1805 | 222  | 1770 | 6     | 428                           | 232                           | 286                           | 155                           | 12,1 | 3,6  |
|                                                       | HH231V180008 | 1805 | 296  | 1770 | 8     | 570                           | 309                           | 382                           | 207                           | 16,1 | 4,9  |
|                                                       | HH231V180010 | 1805 | 370  | 1770 | 10    | 713                           | 386                           | 477                           | 259                           | 20,1 | 6,1  |
|                                                       | HH231V180012 | 1805 | 444  | 1770 | 12    | 855                           | 463                           | 573                           | 310                           | 24,1 | 7,3  |
|                                                       | HH231V180013 | 1805 | 481  | 1770 | 13    | 926                           | 502                           | 621                           | 336                           | 26,2 | 7,9  |
|                                                       | HH231V180014 | 1805 | 518  | 1770 | 14    | 998                           | 540                           | 668                           | 362                           | 28,2 | 8,5  |
|                                                       | HH231V180015 | 1805 | 555  | 1770 | 15    | 1069                          | 579                           | 716                           | 388                           | 30,2 | 9,1  |
|                                                       | HH231V180016 | 1805 | 592  | 1770 | 16    | 1140                          | 618                           | 764                           | 414                           | 32,2 | 9,7  |
|                                                       | HH231V180018 | 1805 | 666  | 1770 | 18    | 1283                          | 695                           | 859                           | 466                           | 36,2 | 10,9 |
|                                                       | HH231V180020 | 1805 | 740  | 1770 | 20    | 1425                          | 772                           | 955                           | 517                           | 40,2 | 12,2 |
|                                                       | HH231V180022 | 1805 | 814  | 1770 | 22    | 1568                          | 849                           | 1050                          | 569                           | 44,3 | 13,4 |
|                                                       | HH231V180024 | 1805 | 888  | 1770 | 24    | 1710                          | 926                           | 1146                          | 621                           | 48,3 | 14,6 |
|                                                       | HH231V180028 | 1805 | 1036 | 1770 | 28    | 1995                          | 1081                          | -                             | -                             | 56,3 | 17,0 |
|                                                       | HH231V180032 | 1805 | 1184 | 1770 | 32    | 2280                          | 1235                          | -                             | -                             | 64,4 | 19,4 |
|                                                       | HH231V180038 | 1805 | 1406 | 1770 | 38    | 2708                          | 1467                          | -                             | -                             | 76,4 | 23,1 |
|                                                       | HH231V180044 | 1805 | 1628 | 1770 | 44    | 3135                          | 1699                          | -                             | -                             | 88,5 | 26,7 |
| <b>2000</b><br>altezza<br>height<br>hauteur<br>altura | HH231V200004 | 2005 | 148  | 1970 | 4     | 315                           | 171                           | 211                           | 114                           | 8,9  | 2,7  |
|                                                       | HH231V200006 | 2005 | 222  | 1970 | 6     | 473                           | 256                           | 317                           | 172                           | 13,3 | 4,0  |
|                                                       | HH231V200008 | 2005 | 296  | 1970 | 8     | 630                           | 341                           | 422                           | 229                           | 17,8 | 5,4  |
|                                                       | HH231V200010 | 2005 | 370  | 1970 | 10    | 788                           | 427                           | 528                           | 286                           | 22,2 | 6,7  |
|                                                       | HH231V200012 | 2005 | 444  | 1970 | 12    | 945                           | 512                           | 633                           | 343                           | 26,7 | 8,0  |
|                                                       | HH231V200013 | 2005 | 481  | 1970 | 13    | 1024                          | 555                           | 686                           | 372                           | 28,9 | 8,7  |
|                                                       | HH231V200014 | 2005 | 518  | 1970 | 14    | 1103                          | 597                           | 739                           | 400                           | 31,1 | 9,4  |
|                                                       | HH231V200015 | 2005 | 555  | 1970 | 15    | 1182                          | 640                           | 792                           | 429                           | 33,4 | 10,1 |
|                                                       | HH231V200016 | 2005 | 592  | 1970 | 16    | 1260                          | 683                           | 844                           | 457                           | 35,6 | 10,7 |
|                                                       | HH231V200018 | 2005 | 666  | 1970 | 18    | 1418                          | 768                           | 950                           | 515                           | 40,0 | 12,1 |
|                                                       | HH231V200020 | 2005 | 740  | 1970 | 20    | 1575                          | 853                           | 1056                          | 572                           | 44,5 | 13,4 |
|                                                       | HH231V200022 | 2005 | 814  | 1970 | 22    | 1733                          | 939                           | 1161                          | 629                           | 48,9 | 14,7 |
|                                                       | HH231V200024 | 2005 | 888  | 1970 | 24    | 1891                          | 1024                          | 1267                          | 686                           | 53,4 | 16,1 |
|                                                       | HH231V200028 | 2005 | 1036 | 1970 | 28    | 2206                          | 1195                          | -                             | -                             | 62,3 | 18,8 |
|                                                       | HH231V200032 | 2005 | 1184 | 1970 | 32    | 2521                          | 1366                          | -                             | -                             | 71,2 | 21,5 |
|                                                       | HH231V200038 | 2005 | 1406 | 1970 | 38    | 2993                          | 1622                          | -                             | -                             | 84,5 | 25,5 |
|                                                       | HH231V200044 | 2005 | 1628 | 1970 | 44    | 3466                          | 1878                          | -                             | -                             | 97,8 | 29,5 |



# dati tecnici hegoline23 verticale doppio



## Sistemi di fissaggio a parete

Wall fastening systems  
Systèmes d'installation murale  
Sistemas de fijación a la pared



## Dimensioni corpo scaldante

Radiator body dimensions  
Dimensions du corps chauffant  
Dimensiones del cuerpo calefactor



Misure in mm: A=altezza B=larghezza C=interasse  
Measures in mm: A=height B=width C=interaxis  
Mesures en mm: A=hauteur B=largeur C=entraxe  
Medidas en mm: A=altura B=ancho C=entre eje

## note tecniche

Temperatura max di esercizio: 90° C  
Maximum operating temperature: 90 °C  
Température maximum de fonctionnement: 90 °C  
Temperatura máx de funcionamiento: 90 °C

Pressione max di esercizio: 500 kPa  
Maximum operating pressure: 500 kPa  
Pression maximum de fonctionnement: 500 kPa  
Presión máx de funcionamiento: 500 kPa



Possibilità di particolari disposizioni e numero di elementi  
Different number of elements available  
Possibilité de différentes quantités de éléments  
Posibilidad de diferentes numeros de elementos

Possibilità di altezze speciali a richiesta nelle misure: 755/905/1105/1305/1405/1605/1705/1905  
Special heights available upon request: 755/905/1105/1305/1405/1605/1705/1905  
Hauteurs spéciales disponibles à la demande: 755/905/1105/1305/1405/1605/1705/1905  
Alturas especiales disponibles a la pregunta: 755/905/1105/1305/1405/1605/1705/1905

Per impianto monotubo consultare note tecniche di dettaglio Pag.163  
For single pipe installation, please consult technical notes Page165  
Pour installation monotube consulter les renseignements techniques détaillés Pag.167  
Para instalaciones monotubo consulte las informaciones técnicas detalladas Pag.169

| Ref.                                          |              | A   | B    | C   | Elem. | White & Colors |         | Peso | Cap. |
|-----------------------------------------------|--------------|-----|------|-----|-------|----------------|---------|------|------|
|                                               |              |     |      |     |       | Δt=50°C        | Δt=30°C |      |      |
|                                               |              | mm  | mm   | mm  | n.    | W              | W       | kg   | Lt   |
| 400<br>altezza<br>height<br>hauteur<br>altura | HH232V040008 | 400 | 296  | 370 | 8     | 269            | 146     | 6,2  | 2,3  |
|                                               | HH232V040010 | 400 | 370  | 370 | 10    | 337            | 182     | 7,8  | 2,9  |
|                                               | HH232V040012 | 400 | 444  | 370 | 12    | 404            | 219     | 9,3  | 3,5  |
|                                               | HH232V040013 | 400 | 481  | 370 | 13    | 438            | 237     | 10,1 | 3,8  |
|                                               | HH232V040014 | 400 | 518  | 370 | 14    | 472            | 255     | 10,9 | 4,1  |
|                                               | HH232V040015 | 400 | 555  | 370 | 15    | 505            | 274     | 11,6 | 4,4  |
|                                               | HH232V040016 | 400 | 592  | 370 | 16    | 539            | 292     | 12,4 | 4,7  |
|                                               | HH232V040018 | 400 | 666  | 370 | 18    | 606            | 328     | 14,0 | 5,3  |
|                                               | HH232V040020 | 400 | 740  | 370 | 20    | 674            | 365     | 15,5 | 5,9  |
|                                               | HH232V040022 | 400 | 814  | 370 | 22    | 741            | 401     | 17,1 | 6,5  |
|                                               | HH232V040024 | 400 | 888  | 370 | 24    | 808            | 438     | 18,6 | 7,0  |
|                                               | HH232V040028 | 400 | 1036 | 370 | 28    | 943            | 511     | 21,7 | 8,2  |
|                                               | HH232V040032 | 400 | 1184 | 370 | 32    | 1078           | 584     | 24,8 | 9,4  |
|                                               | HH232V040038 | 400 | 1406 | 370 | 38    | 1280           | 693     | 29,5 | 11,2 |
|                                               | HH232V040044 | 400 | 1628 | 370 | 44    | 1482           | 803     | 34,1 | 12,9 |
|                                               | HH232V040050 | 400 | 1850 | 370 | 50    | 1684           | 912     | 38,8 | 14,7 |



# dati tecnici

# hegoline23 verticale doppio

|                                                | Ref.         |      |      |     |       | White & Colors                |                               | Peso | Cap. |
|------------------------------------------------|--------------|------|------|-----|-------|-------------------------------|-------------------------------|------|------|
|                                                |              | A    | B    | C   | Elem. | $\Delta t=50^{\circ}\text{C}$ | $\Delta t=30^{\circ}\text{C}$ |      |      |
|                                                |              | mm   | mm   | mm  | n.    | W                             | W                             |      |      |
| 500<br>altezza<br>height<br>hauteur<br>altura  | HH232V050006 | 500  | 222  | 470 | 6     | 247                           | 134                           | 5,7  | 2,1  |
|                                                | HH232V050008 | 500  | 296  | 470 | 8     | 330                           | 179                           | 7,6  | 2,9  |
|                                                | HH232V050010 | 500  | 370  | 470 | 10    | 412                           | 223                           | 9,5  | 3,6  |
|                                                | HH232V050012 | 500  | 444  | 470 | 12    | 494                           | 268                           | 11,4 | 4,3  |
|                                                | HH232V050013 | 500  | 481  | 470 | 13    | 536                           | 290                           | 12,3 | 4,6  |
|                                                | HH232V050014 | 500  | 518  | 470 | 14    | 577                           | 312                           | 13,3 | 5,0  |
|                                                | HH232V050015 | 500  | 555  | 470 | 15    | 618                           | 335                           | 14,2 | 5,3  |
|                                                | HH232V050016 | 500  | 592  | 470 | 16    | 659                           | 357                           | 15,2 | 5,7  |
|                                                | HH232V050018 | 500  | 666  | 470 | 18    | 742                           | 402                           | 17,1 | 6,4  |
|                                                | HH232V050020 | 500  | 740  | 470 | 20    | 824                           | 446                           | 19,0 | 7,1  |
|                                                | HH232V050022 | 500  | 814  | 470 | 22    | 906                           | 491                           | 20,9 | 7,8  |
|                                                | HH232V050024 | 500  | 888  | 470 | 24    | 989                           | 536                           | 22,8 | 8,6  |
|                                                | HH232V050028 | 500  | 1036 | 470 | 28    | 1154                          | 625                           | 26,6 | 10,0 |
|                                                | HH232V050032 | 500  | 1184 | 470 | 32    | 1318                          | 714                           | 30,4 | 11,4 |
|                                                | HH232V050038 | 500  | 1406 | 470 | 38    | 1566                          | 848                           | 36,0 | 13,5 |
|                                                | HH232V050044 | 500  | 1628 | 470 | 44    | 1813                          | 982                           | 41,7 | 15,7 |
|                                                | HH232V050050 | 500  | 1850 | 470 | 50    | 2060                          | 1116                          | 47,4 | 17,8 |
| 600<br>altezza<br>height<br>hauteur<br>altura  | HH232V060006 | 600  | 222  | 570 | 6     | 292                           | 158                           | 6,7  | 2,5  |
|                                                | HH232V060008 | 600  | 296  | 570 | 8     | 390                           | 211                           | 9,0  | 3,4  |
|                                                | HH232V060010 | 600  | 370  | 570 | 10    | 487                           | 264                           | 11,2 | 4,2  |
|                                                | HH232V060012 | 600  | 444  | 570 | 12    | 585                           | 317                           | 13,5 | 5,0  |
|                                                | HH232V060013 | 600  | 481  | 570 | 13    | 633                           | 343                           | 14,6 | 5,4  |
|                                                | HH232V060014 | 600  | 518  | 570 | 14    | 682                           | 369                           | 15,7 | 5,9  |
|                                                | HH232V060015 | 600  | 555  | 570 | 15    | 731                           | 396                           | 16,8 | 6,3  |
|                                                | HH232V060016 | 600  | 592  | 570 | 16    | 779                           | 422                           | 17,9 | 6,7  |
|                                                | HH232V060018 | 600  | 666  | 570 | 18    | 877                           | 475                           | 20,2 | 7,5  |
|                                                | HH232V060020 | 600  | 740  | 570 | 20    | 974                           | 528                           | 22,4 | 8,4  |
|                                                | HH232V060022 | 600  | 814  | 570 | 22    | 1072                          | 581                           | 24,7 | 9,2  |
|                                                | HH232V060024 | 600  | 888  | 570 | 24    | 1169                          | 633                           | 26,9 | 10,1 |
|                                                | HH232V060028 | 600  | 1036 | 570 | 28    | 1364                          | 739                           | 31,4 | 11,7 |
|                                                | HH232V060032 | 600  | 1184 | 570 | 32    | 1559                          | 844                           | 35,9 | 13,4 |
|                                                | HH232V060038 | 600  | 1406 | 570 | 38    | 1851                          | 1003                          | 42,6 | 15,9 |
|                                                | HH232V060044 | 600  | 1628 | 570 | 44    | 2143                          | 1161                          | 49,3 | 18,4 |
|                                                | HH232V060050 | 600  | 1850 | 570 | 50    | 2436                          | 1320                          | 56,1 | 21,0 |
| 800<br>altezza<br>height<br>hauteur<br>altura  | HH232V080004 | 800  | 148  | 770 | 4     | 255                           | 138                           | 5,9  | 2,2  |
|                                                | HH232V080006 | 800  | 222  | 770 | 6     | 382                           | 207                           | 8,8  | 3,3  |
|                                                | HH232V080008 | 800  | 296  | 770 | 8     | 510                           | 276                           | 11,7 | 4,4  |
|                                                | HH232V080010 | 800  | 370  | 770 | 10    | 637                           | 345                           | 14,7 | 5,4  |
|                                                | HH232V080012 | 800  | 444  | 770 | 12    | 765                           | 414                           | 17,6 | 6,5  |
|                                                | HH232V080013 | 800  | 481  | 770 | 13    | 829                           | 449                           | 19,1 | 7,1  |
|                                                | HH232V080014 | 800  | 518  | 770 | 14    | 892                           | 483                           | 20,5 | 7,6  |
|                                                | HH232V080015 | 800  | 555  | 770 | 15    | 956                           | 518                           | 22,0 | 8,2  |
|                                                | HH232V080016 | 800  | 592  | 770 | 16    | 1020                          | 553                           | 23,5 | 8,7  |
|                                                | HH232V080018 | 800  | 666  | 770 | 18    | 1147                          | 622                           | 26,4 | 9,8  |
|                                                | HH232V080020 | 800  | 740  | 770 | 20    | 1275                          | 691                           | 29,3 | 10,9 |
|                                                | HH232V080022 | 800  | 814  | 770 | 22    | 1402                          | 760                           | 32,3 | 12,0 |
|                                                | HH232V080024 | 800  | 888  | 770 | 24    | 1530                          | 829                           | 35,2 | 13,1 |
|                                                | HH232V080028 | 800  | 1036 | 770 | 28    | 1785                          | 967                           | 41,1 | 15,3 |
|                                                | HH232V080032 | 800  | 1184 | 770 | 32    | 2040                          | 1105                          | 46,9 | 17,4 |
|                                                | HH232V080038 | 800  | 1406 | 770 | 38    | 2422                          | 1312                          | 55,7 | 20,7 |
|                                                | HH232V080044 | 800  | 1628 | 770 | 44    | 2805                          | 1519                          | 64,6 | 24,0 |
| 1000<br>altezza<br>height<br>hauteur<br>altura | HH232V100004 | 1000 | 148  | 970 | 4     | 315                           | 171                           | 7,3  | 2,7  |
|                                                | HH232V100006 | 1000 | 222  | 970 | 6     | 473                           | 256                           | 10,9 | 4,0  |
|                                                | HH232V100008 | 1000 | 296  | 970 | 8     | 630                           | 341                           | 14,5 | 5,4  |
|                                                | HH232V100010 | 1000 | 370  | 970 | 10    | 788                           | 427                           | 18,1 | 6,7  |
|                                                | HH232V100012 | 1000 | 444  | 970 | 12    | 945                           | 512                           | 21,8 | 8,0  |
|                                                | HH232V100013 | 1000 | 481  | 970 | 13    | 1024                          | 555                           | 23,6 | 8,7  |
|                                                | HH232V100014 | 1000 | 518  | 970 | 14    | 1103                          | 597                           | 25,4 | 9,4  |
|                                                | HH232V100015 | 1000 | 555  | 970 | 15    | 1182                          | 640                           | 27,2 | 10,1 |
|                                                | HH232V100016 | 1000 | 592  | 970 | 16    | 1260                          | 683                           | 29,0 | 10,7 |
|                                                | HH232V100018 | 1000 | 666  | 970 | 18    | 1418                          | 768                           | 32,6 | 12,1 |
|                                                | HH232V100020 | 1000 | 740  | 970 | 20    | 1575                          | 853                           | 36,3 | 13,4 |
|                                                | HH232V100022 | 1000 | 814  | 970 | 22    | 1733                          | 939                           | 39,9 | 14,7 |
|                                                | HH232V100024 | 1000 | 888  | 970 | 24    | 1891                          | 1024                          | 43,5 | 16,1 |
|                                                | HH232V100028 | 1000 | 1036 | 970 | 28    | 2206                          | 1195                          | 50,8 | 18,8 |
|                                                | HH232V100032 | 1000 | 1184 | 970 | 32    | 2521                          | 1366                          | 58,0 | 21,5 |
|                                                | HH232V100038 | 1000 | 1406 | 970 | 38    | 2993                          | 1622                          | 68,9 | 25,5 |
|                                                | HH232V100044 | 1000 | 1628 | 970 | 44    | 3466                          | 1878                          | 79,8 | 29,5 |



# dati tecnici

# hegoline23

## verticale doppio

|                                                | Ref.         |      |      |      |       | White & Colors                |                               | Peso  | Cap. |
|------------------------------------------------|--------------|------|------|------|-------|-------------------------------|-------------------------------|-------|------|
|                                                |              | A    | B    | C    | Elem. | $\Delta t=50^{\circ}\text{C}$ | $\Delta t=30^{\circ}\text{C}$ |       |      |
|                                                |              | mm   | mm   | mm   | n.    | W                             | W                             |       |      |
| 1200<br>altezza<br>height<br>hauteur<br>altura | HH232V120004 | 1200 | 148  | 1170 | 4     | 375                           | 203                           | 8,6   | 3,2  |
|                                                | HH232V120006 | 1200 | 222  | 1170 | 6     | 563                           | 305                           | 13,0  | 4,8  |
|                                                | HH232V120008 | 1200 | 296  | 1170 | 8     | 750                           | 407                           | 17,3  | 6,4  |
|                                                | HH232V120010 | 1200 | 370  | 1170 | 10    | 938                           | 508                           | 21,6  | 8,0  |
|                                                | HH232V120012 | 1200 | 444  | 1170 | 12    | 1126                          | 610                           | 25,9  | 9,6  |
|                                                | HH232V120013 | 1200 | 481  | 1170 | 13    | 1219                          | 661                           | 28,1  | 10,3 |
|                                                | HH232V120014 | 1200 | 518  | 1170 | 14    | 1313                          | 711                           | 30,2  | 11,1 |
|                                                | HH232V120015 | 1200 | 555  | 1170 | 15    | 1407                          | 762                           | 32,4  | 11,9 |
|                                                | HH232V120016 | 1200 | 592  | 1170 | 16    | 1501                          | 813                           | 34,5  | 12,7 |
|                                                | HH232V120018 | 1200 | 666  | 1170 | 18    | 1688                          | 915                           | 38,9  | 14,3 |
|                                                | HH232V120020 | 1200 | 740  | 1170 | 20    | 1876                          | 1016                          | 43,2  | 15,9 |
|                                                | HH232V120022 | 1200 | 814  | 1170 | 22    | 2064                          | 1118                          | 47,5  | 17,5 |
|                                                | HH232V120024 | 1200 | 888  | 1170 | 24    | 2251                          | 1220                          | 51,8  | 19,1 |
|                                                | HH232V120028 | 1200 | 1036 | 1170 | 28    | 2626                          | 1423                          | 60,4  | 22,3 |
|                                                | HH232V120032 | 1200 | 1184 | 1170 | 32    | 3002                          | 1626                          | 69,1  | 25,5 |
|                                                | HH232V120038 | 1200 | 1406 | 1170 | 38    | 3565                          | 1931                          | 82,0  | 30,2 |
|                                                | HH232V120044 | 1200 | 1628 | 1170 | 44    | 4127                          | 2236                          | 95,0  | 35,0 |
| 1500<br>altezza<br>height<br>hauteur<br>altura | HH232V150004 | 1500 | 148  | 1470 | 4     | 465                           | 252                           | 10,7  | 3,9  |
|                                                | HH232V150006 | 1500 | 222  | 1470 | 6     | 698                           | 378                           | 16,1  | 5,9  |
|                                                | HH232V150008 | 1500 | 296  | 1470 | 8     | 931                           | 504                           | 21,4  | 7,9  |
|                                                | HH232V150010 | 1500 | 370  | 1470 | 10    | 1163                          | 630                           | 26,8  | 9,8  |
|                                                | HH232V150012 | 1500 | 444  | 1470 | 12    | 1396                          | 756                           | 32,1  | 11,8 |
|                                                | HH232V150013 | 1500 | 481  | 1470 | 13    | 1513                          | 819                           | 34,8  | 12,8 |
|                                                | HH232V150014 | 1500 | 518  | 1470 | 14    | 1629                          | 882                           | 37,5  | 13,8 |
|                                                | HH232V150015 | 1500 | 555  | 1470 | 15    | 1745                          | 945                           | 40,2  | 14,8 |
|                                                | HH232V150016 | 1500 | 592  | 1470 | 16    | 1862                          | 1008                          | 42,8  | 15,7 |
|                                                | HH232V150018 | 1500 | 666  | 1470 | 18    | 2094                          | 1135                          | 48,2  | 17,7 |
|                                                | HH232V150020 | 1500 | 740  | 1470 | 20    | 2327                          | 1261                          | 53,5  | 19,7 |
|                                                | HH232V150022 | 1500 | 814  | 1470 | 22    | 2560                          | 1387                          | 58,9  | 21,7 |
|                                                | HH232V150024 | 1500 | 888  | 1470 | 24    | 2792                          | 1513                          | 64,2  | 23,6 |
|                                                | HH232V150028 | 1500 | 1036 | 1470 | 28    | 3258                          | 1765                          | 75,0  | 27,6 |
|                                                | HH232V150032 | 1500 | 1184 | 1470 | 32    | 3723                          | 2017                          | 85,7  | 31,5 |
|                                                | HH232V150038 | 1500 | 1406 | 1470 | 38    | 4421                          | 2395                          | 101,7 | 37,4 |
| 1800<br>altezza<br>height<br>hauteur<br>altura | HH232V180004 | 1800 | 148  | 1770 | 4     | 556                           | 301                           | 12,8  | 4,7  |
|                                                | HH232V180006 | 1800 | 222  | 1770 | 6     | 833                           | 451                           | 19,2  | 7,0  |
|                                                | HH232V180008 | 1800 | 296  | 1770 | 8     | 1111                          | 602                           | 25,6  | 9,4  |
|                                                | HH232V180010 | 1800 | 370  | 1770 | 10    | 1389                          | 752                           | 32,0  | 11,7 |
|                                                | HH232V180012 | 1800 | 444  | 1770 | 12    | 1667                          | 903                           | 38,3  | 14,1 |
|                                                | HH232V180013 | 1800 | 481  | 1770 | 13    | 1806                          | 978                           | 41,5  | 15,2 |
|                                                | HH232V180014 | 1800 | 518  | 1770 | 14    | 1944                          | 1053                          | 44,7  | 16,4 |
|                                                | HH232V180015 | 1800 | 555  | 1770 | 15    | 2083                          | 1129                          | 47,9  | 17,6 |
|                                                | HH232V180016 | 1800 | 592  | 1770 | 16    | 2222                          | 1204                          | 51,1  | 18,8 |
|                                                | HH232V180018 | 1800 | 666  | 1770 | 18    | 2500                          | 1354                          | 57,5  | 21,1 |
|                                                | HH232V180020 | 1800 | 740  | 1770 | 20    | 2778                          | 1505                          | 63,9  | 23,5 |
|                                                | HH232V180022 | 1800 | 814  | 1770 | 22    | 3056                          | 1655                          | 70,3  | 25,8 |
|                                                | HH232V180024 | 1800 | 888  | 1770 | 24    | 3333                          | 1806                          | 76,7  | 28,1 |
|                                                | HH232V180028 | 1800 | 1036 | 1770 | 28    | 3889                          | 2107                          | 89,5  | 32,8 |
|                                                | HH232V180032 | 1800 | 1184 | 1770 | 32    | 4445                          | 2408                          | 102,3 | 37,5 |
| 2000<br>altezza<br>height<br>hauteur<br>altura | HH232V200004 | 2000 | 148  | 1970 | 4     | 616                           | 334                           | 14,2  | 5,2  |
|                                                | HH232V200006 | 2000 | 222  | 1970 | 6     | 924                           | 500                           | 21,2  | 7,8  |
|                                                | HH232V200008 | 2000 | 296  | 1970 | 8     | 1231                          | 667                           | 28,3  | 10,4 |
|                                                | HH232V200010 | 2000 | 370  | 1970 | 10    | 1539                          | 834                           | 35,4  | 13,0 |
|                                                | HH232V200012 | 2000 | 444  | 1970 | 12    | 1847                          | 1001                          | 42,5  | 15,6 |
|                                                | HH232V200013 | 2000 | 481  | 1970 | 13    | 2001                          | 1084                          | 46,0  | 16,9 |
|                                                | HH232V200014 | 2000 | 518  | 1970 | 14    | 2155                          | 1167                          | 49,6  | 18,2 |
|                                                | HH232V200015 | 2000 | 555  | 1970 | 15    | 2309                          | 1251                          | 53,1  | 19,5 |
|                                                | HH232V200016 | 2000 | 592  | 1970 | 16    | 2463                          | 1334                          | 56,7  | 20,8 |
|                                                | HH232V200018 | 2000 | 666  | 1970 | 18    | 2771                          | 1501                          | 63,7  | 23,4 |
|                                                | HH232V200020 | 2000 | 740  | 1970 | 20    | 3078                          | 1668                          | 70,8  | 26,0 |
|                                                | HH232V200022 | 2000 | 814  | 1970 | 22    | 3386                          | 1834                          | 77,9  | 28,6 |
|                                                | HH232V200024 | 2000 | 888  | 1970 | 24    | 3694                          | 2001                          | 85,0  | 31,2 |
|                                                | HH232V200028 | 2000 | 1036 | 1970 | 28    | 4310                          | 2335                          | 99,1  | 36,4 |